


celesta[®]



Lampu Sorot LED 200W

CL-200-HM

Lampu sorot LED yang sangat efisien, dirancang khusus untuk tiang tinggi dan pencahayaan area yang luas.

Bodi : Dapat didaur ulang, Aluminum tempa dan baja anti karat, powder coating

Lensa anti rusak dan anti-UV

Desain Modular



Data Tekhnis

Performance	
Net lumen output (flux):	34500 lm/39900 lm
Power absorption:	200W/300W

Optoelektronik

Tipe LED:	CREE 3030
Papan sirkuit:	Ceramic plated MPCB 1.6 mm
CRI:	70 < R < 90
Warna suhu:	5,000K standar (others optional)
Lumen maintenance L90:	63,000h
Lumen maintenance L70:	>100,000h

Optik

Lensa sekunder:	Refraction array
Sistem perawatan:	Anti-yellowing / weather-proof
Optik yang tersedia:	15° / 30° / 45° / 60° / 90°
Jumlah LED per modul:	336
Jumlah modul:	1

Badan Lampu


Struktur:	Galvanized steel sheet
Lapisan:	Powder coating
Heatsink:	Aluminum tempa
Breket:	Baut tengah (12mm)
Berat:	8.95kg
Tinggi pemasangan:	30ft to 100ft (10m to 30m)
Sudut pemasangan:	360° Penyesuaian kemiringan
Ukuran:	P392 x L222 x T121 (P392 x T222 x T229)
FPA:	0.388 sq ft (0.036 m ²)
EPA:	0.466 sq ft (0.043 m ²)

Elektronik

Power unit:	IP67 Daya suplai unit
Daya:	120-277 VAC 50/60Hz or 347-480 VAC 50/60Hz
Faktor daya:	0.95
Mean time to Failure:	200.000 Jam
Dimming Function:	1-10V DALI (Optional)
Surge Protection:	10KV, ANSIC136.2-2015 : Extreme Level
Short Circuit Protection:	Auto-recovery
Perlindungan suhu berlebih:	Drops output current
Kelembapan:	0% - 96%
Suhu operasi:	- 40°F up to +150°F (- 40°C up to +65°C)



Ukuran :



Photometrics :

(15° Symmetrical)



(30° Symmetrical)



(45° Symmetrical)



(60° Symmetrical)



(90° Symmetrical)



Produk	Daya	Jumlah modul	Total lumen	Optik	CCT	CRI	Tegangan	Kontrol sistem	Body Type	Braket	Konektor
CL-HM	200W	1	34500lm (150lm/W)	15°	(5000K)	70	EU (120-277 AC)	10 (1-10V)	P(Powder painted)	T (Flood)	00 (1m cable)
	300W	1	39900lm (133lm/W)	30°	(4000K)	80	US (347-480 AC)	DA (DALI)	H (High Heat)		IP68 Connector)
				45°	(3000K)	90	CA (100-240 AC)				
				60°	(5700K)						
				90°							



celesta[®]

PT. AVECODE INTERNATIONAL

Komp.Hi-Tech Jl.Budi Kemuliaan,
Blok VI, Seraya, Pelita, Lubuk Baja
Batam - 29432

Telp : -0778 455 315
www.celesta.co.id

Sole Agent/ Distributor for :